

**HEREDITY**  
**IN RELATION TO EVOLUTION**  
**AND ANIMAL BREEDING**


# HEREDITY

## IN RELATION TO EVOLUTION AND ANIMAL BREEDING

BY

WILLIAM E. CASTLE

PROFESSOR OF ZOÖLOGY, HARVARD UNIVERSITY



NEW YORK AND LONDON  
D. APPLETON AND COMPANY  
1911

2Am  
C353Hi

COPYRIGHT, 1911, BY  
D. APPLETON AND COMPANY

*Published September, 1911*

Printed in the United States of America

## P R E F A C E

THIS little book is based on a course of eight lectures delivered in November and December, 1910, before the Lowell Institute, Boston, as well as on a course of five lectures delivered before the Graduate School of Agriculture held under the auspices of the Association of Agricultural Colleges and Experiment Stations at Ames, Iowa, in July, 1910. The hope is entertained that it may be of service to students and that it will also interest the general reader.

The writer wishes to express his gratitude to the Carnegie Institution of Washington for permission, in its preparation, to draw freely upon published and unpublished material derived from investigations aided by the Institution.

Acknowledgment is also due to the following persons, or to their publishers, for permission to use figures from their publications, as indicated in the text: Prof. E. B. Wilson and The Macmillan Co., Prof. H. S. Jennings and *The American Naturalist*, Dr. W. B. Kirkham and The American Book Co.

W. E. CASTLE

JUNE, 1911

# CONTENTS

	PAGE
INTRODUCTION.—GENETICS, A NEW SCIENCE . . .	1
CHAPTER	
I.—THE DUALITY OF INHERITANCE . . . . .	6
II.—GERM-PLASM AND BODY, THEIR MUTUAL INDEPENDENCE . . . . .	27
III.—MENDEL'S LAW OF HEREDITY . . . . .	33
IV.—THE DETERMINATION OF DOMINANCE; HETEROZYGOUS CHARACTERS AND THEIR FIXATION; ATAVISM OR REVISION. . . . .	52
V.—EVOLUTION OF NEW RACES BY LOSS OR GAIN OF CHARACTERS. . . . .	72
VI.—EVOLUTION OF NEW RACES BY VARIATIONS IN THE POTENCY OF CHARACTERS . . . . .	87
VII.—CAN MENDELIAN UNIT-CHARACTERS BE MODIFIED BY SELECTION? . . . . .	106
VIII.—MENDELIAN INHERITANCE WITHOUT DOMI- NANCE, "BLENDING" INHERITANCE . . . . .	128
IX.—THE EFFECTS OF INBREEDING . . . . .	143
X.—HEREDITY AND SEX . . . . .	153
INDEX . . . . .	183

## LIST OF ILLUSTRATIONS

FIG.	PAGE
1. — Egg and sperm of the sea-urchin, <i>Toxopneustes</i>	9
2. — Fertilization of the egg of <i>Nereis</i> . . . . .	12
3. — Egg of a mouse previous to maturation <i>Facing</i>	14
4. — Maturation and fertilization of the egg of a mouse . . . . . <i>Facing</i>	14
5. — Diagrams showing the essential facts of chromosome reduction in the development of the sperm-cells . . . . .	17
6. — An ordinary fern . . . . .	21
7. — The prothallus of a fern. . . . .	23
8. — Diagram showing the chromosome number in the spermatogenesis of ordinary animals and of the wasp . . . . .	24
9. — Diagram showing the relation of the body to the germ-cells in heredity . . . . .	29
10. — A young, black guinea-pig . . . . <i>Facing</i>	30
11. — An albino female guinea-pig. . . . <i>Facing</i>	30
12. — An albino male guinea-pig . . . . <i>Facing</i>	30
13. — Pictures of three living guinea-pigs and of the preserved skins of three others. . . <i>Facing</i>	32
14. — A black, female guinea-pig, and her young . . . . . <i>Facing</i>	34
15. — An albino male guinea-pig . . . . <i>Facing</i>	34
16. — Two of the grown-up young of a black and of an albino guinea-pig . . . . . <i>Facing</i>	34

FIG.	PAGE
17.—A group of four young, produced by the animals shown in Fig. 16 . . . . .	<i>Facing</i> 34
18.—Diagram to explain the result shown in Fig. 17	35
19.—A shortened condition of the skeleton, particularly of the fingers . . . . .	<i>Facing</i> 36
20.—Radiograph of a hand similar to those shown in Fig. 19. . . . .	<i>Facing</i> 38
21.—Diagram showing the descent, through five generations, of the condition shown in Figs. 19 and 20. . . . .	40
22.—A smooth, dark guinea-pig . . . . .	<i>Facing</i> 40
23.—A rough, white guinea-pig. . . . .	<i>Facing</i> 40
24.—A dark, rough guinea-pig . . . . .	<i>Facing</i> 40
25.—A smooth, white guinea-pig . . . . .	<i>Facing</i> 42
26.—A short-haired, pigmented guinea-pig	<i>Facing</i> 42
27.—A long-haired albino guinea-pig . . . . .	<i>Facing</i> 42
28.—Offspring produced by animals of the sorts shown in Figs. 26 and 27 . . . . .	<i>Facing</i> 42
29.—A long-haired, pigmented guinea-pig, "Dutch-marked" with white . . . . .	<i>Facing</i> 42
30.—Diagram to explain the results of a cross between the sorts of guinea-pigs shown in Figs. 26 and 27 . . . . .	43
31.—Diagram showing the kinds and relative frequencies of the young to be expected in $F_2$ from the crossing of animals shown in Figs. 26 and 27. . . . .	46
32.—A long-haired, rough albino guinea-pig	<i>Facing</i> 46
33.—Five new combinations of unit-characters obtained in generation $F_2$ , by crossing the animal shown in Fig. 32 with animals like that shown in Fig. 22 . . . . .	<i>Facing</i> 48

## LIST OF ILLUSTRATIONS

xi

FIG.	PAGE
34.—Diagram to show the gametic combinations and segregations involved in a cross between guinea-pigs differing in three unit-characters. . . . .	49
35.—Diagram to show the gametic combination and recombinations which occur in the production and fixation of an atavistic coat-character in guinea-pigs. . . . .	66
36.—An imperfectly rough guinea-pig . . . <i>Facing</i>	101
37.—A silvered guinea-pig . . . . . <i>Facing</i>	101
38.— <i>A.</i> Front feet of an ordinary guinea-pig. <i>B.</i> Its hind feet <i>D.</i> Hind feet of a race four-toed on all the feet. <i>C.</i> Ordinary condition of the hind feet of young obtained by crossing <i>B</i> with <i>D.</i> . . . . . <i>Facing</i>	101
39.—Diagram showing variation in the color-pattern of hooded rats . . . . . <i>Facing</i>	101
40.—Diagram showing the variations in size of eight different races of paramecium . . .	112
41.—Chart showing effects of selection in eight successive generations upon the color-pattern of hooded rats . . . . .	122
42.—Skulls of three rabbits . . . . . <i>Facing</i>	128
43.—A long-haired, albino rabbit, having erect ears . . . . . <i>Facing</i>	132
44.—A short-haired, sooty yellow rabbit, having lop ears . . . . . <i>Facing</i>	132
45.—A short-haired, black rabbit, son of the rabbits shown in Figs. 43 and 44. . <i>Facing</i>	132
46.—An $F_2$ descendant of the rabbits shown in Figs. 44 and 45. . . . . <i>Facing</i>	132



FIG.	PAGE
47.— Diagrams to show the number and size of the classes of individuals to be expected from a cross involving Mendelian segregation without dominance. . . . .	135
48.— Photographs to show variation in ear length of two varieties of maize, of their $F_1$ offspring, and of their $F_2$ offspring. . <i>Facing</i>	138
49.— Diagram of sex-determination in parthenogenesis. . . . .	162
50.— Diagram of sex determination when the female is homozygous, the male heterozygous . .	167
51.— Diagram of sex-determination when the female is heterozygous, the male homozygous . .	170
52.— Diagram of sex-limited inheritance when the female is a heterozygote . . . . .	173
53.— Diagram of sex-limited inheritance when the female is a homozygote, as in the red-eyed <i>Drosophila</i> . . . . .	175